


Abmessungen der Rolltische RTNG




Maßtabelle

Präzisions-Rolltisch RTNG

Bestell-Nr.	A	B	C	D	L	Hub	d	e	f	f1	g	g1	C(N)
RTNG-1520	42				52	10	25	8,5	21,0	16,0		1x10	260
RTNG-1530	57				72	15	35	11,0	23,5	18,5	1x10	2x10	364
RTNG-1540	72				92	20	45	13,5	26,0	21,0	2x10	3x10	520
RTNG-1550	87	+0,05	+0,03		112	25	55	16,0	28,5	23,5	3x10	4x10	624
RTNG-1560	102	29,6	17	2	132	30	65	18,5	31,0	26,0	4x10	5x10	780
RTNG-1570	117	-0,15	-0,01		152	35	75	21,0	33,5	28,5	5x10	6x10	884
RTNG-1580	132				172	40	85	23,5	36,0	31,0	6x10	7x10	1040
RTNG-1590	147				192	45	95	26,0	38,5	33,5	7x10	8x10	1144
RTNG-15100	162				212	50	105	28,5	41,0	36,0	8x10	9x10	1300
RTNG-2030	60				75	15	35	12,5	30,0	22,5		1x15	430
RTNG-2045	82				104	22	50	16,0	33,5	26,0	1x15	2x15	688
RTNG-2060	105				135	30	65	20,0	37,5	30,0	2x15	3x15	946
RTNG-2075	127	+0,05	+0,03		164	37	80	23,5	41,0	33,5	3x15	4x15	1204
RTNG-2090	150	39,6	21	2	195	45	95	27,5	45,0	37,5	4x15	5x15	1376
RTNG-2105	172	-0,15	-0,01		224	52	110	31,0	48,5	41,0	5x15	6x15	1634
RTNG-2120	195				255	60	125	35,0	52,5	45,0	6x15	7x15	1892
RTNG-2135	217				284	67	140	38,5	56,0	48,5	7x15	8x15	2150
RTNG-2150	240				315	75	155	42,5	60,0	52,5	8x15	9x10	2408
RTNG-3050	91				116	25	55	18,0	45,5	33,0		1x25	952
RTNG-3075	128				165	37	80	24,0	52,5	39,0	1x25	2x25	1496
RTNG-3100	166				216	50	105	30,5	58,0	45,5	2x25	3x25	2040
RTNG-3125	203				265	62	130	36,5	64,0	52,5	3x25	4x25	2448
RTNG-3150	241	+0,05	+0,03		316	75	155	43,0	70,5	58,0	4x25	5x25	2992
RTNG-3175	278	59,5	28	3	365	87	180	49,0	76,5	64,0	5x25	6x25	3536
RTNG-3200	316	-0,15	-0,01		416	100	205	55,5	83,0	70,5	6x25	7x25	4080
RTNG-3250	391				516	125	255	68,0	95,5	83,0	8x25	8x25	5032
RTNG-3300	466				616	150	305	80,5	108,0	95,5	10x25	9x25	6120
RTNG-3350	541				716	175	355	93,0	120,5	108,0	12x25	10x25	7072
RTNG-3400	616				816	200	405	105,5	133,0	120,5	14x25	11x25	8160
RTNG-6100	173				223	50	110	31,5	86,5	61,5		1x50	4320
RTNG-6150	248				323	75	160	44,0	99,0	74,0	1x50	2x50	6480
RTNG-6200	323				423	100	210	56,5	111,5	86,5	2x50	3x50	8640
RTNG-6250	398				523	125	260	69,0	124,0	99,0	3x50	4x50	10800
RTNG-6300	473	+0,05	+0,03		623	150	310	81,5	136,5	111,5	4x50	5x50	13500
RTNG-6350	548	99,5	45	6	723	175	360	94,0	149,0	124,0	5x50	6x50	15666
RTNG-6400	623	-0,15	-0,01		823	200	410	106,5	161,5	136,5	6x50	7x50	17820
RTNG-6450	698				923	225	460	119,0	174,0	149,0	7x50	8x50	19980
RTNG-6500	773				1023	250	510	131,5	186,5	161,5	8x50	9x50	22140
RTNG-9200		+0,1	+0,03		429	100	210	61,50	166,50	116,50		1x100	13500
RTNG-9300		148	60	9	629	150	310	86,50	191,50	141,50	1x100	2x100	21600
RTNG-9400		-0,20	-0,01		829	200	410	111,50	216,50	166,50	2x100	3x100	28350
RTNG-9500					1029	250	510	136,50	241,50	191,50	3x100	4x100	35100

Abmessungen der Rolltische RTNG



Maßtabelle

Präzisions-Rolltische RTNG

Bestell-Nr.	h	h1	m	s	y	Gewicht in Kg	Md in Nm	MI in Nm	Mr in Nm
RTNG-1520						0,165	1,8	1,3	1,5
RTNG-1530						0,225	2,5	2,5	1,9
RTNG-1540						0,280	3,5	4,4	2,6
RTNG-1550	10	18,4	M2,5	6	8,75	0,340	4,2	5,6	3,1
RTNG-1560						0,400	5,3	7,5	4,0
RTNG-1570						0,458	6,0	8,7	4,6
RTNG-1580						0,515	7,0	10,6	5,5
RTNG-1590						0,578	7,7	11,9	6,1
RTNG-15100						0,640	8,8	14,7	7,0
RTNG-2030						0,360	3,9	2,8	3,3
RTNG-2045						0,510	6,2	6,9	4,6
RTNG-2060						0,615	8,5	12,4	6,3
RTNG-2075						0,795	10,8	15,1	8,2
RTNG-2090	15	25	M3	7	10,75	0,925	12,4	17,9	9,5
RTNG-2105						1,080	14,7	22,0	11,4
RTNG-2120						1,217	17,0	26,1	13,4
RTNG-2135						1,353	19,4	30,3	15,5
RTNG-2150						1,490	21,7	34,4	17,5
RTNG-3050						1,14	13,3	10,9	9,4
RTNG-3075						1,65	20,9	21,8	13,3
RTNG-3100						2,08	28,6	32,6	18,0
RTNG-3125						2,63	34,3	40,8	21,8
RTNG-3150						3,08	41,9	51,7	26,9
RTNG-3175	25	41	M4	9,5	14	3,54	45,5	62,6	32,2
RTNG-3200						4,05	57,1	73,4	37,5
RTNG-3250						4,99	70,5	92,5	46,9
RTNG-3300						5,94	85,7	114,0	57,6
RTNG-3350						7,83	99,0	133,3	67,1
RTNG-3400						9,72	114,2	155,0	77,9
RTNG-6100						5,58	97,2	97,2	68,7
RTNG-6150						7,81	145,8	175,0	75,9
RTNG-6200						10,04	194,4	252,7	135,4
RTNG-6250						12,27	243,0	330,5	172,2
RTNG-6300	50	64	M6	14	23	14,50	303,8	427,7	219,3
RTNG-6350						16,73	352,4	505,4	257,4
RTNG-6400						18,96	401,0	583,2	295,6
RTNG-6450						21,19	449,6	661,0	334,0
RTNG-6500						23,42	498,2	738,7	372,5
RTNG-9200						22,86	486,0	529,2	328,4
RTNG-9300	100	98	M8	17	31	33,70	777,6	932,8	528,5
RTNG-9400						44,52	1020,6	1360,8	707,6
RTNG-9500						56,18	1263,6	1738,8	890,9

Anordnung der Befestigungsbohrungen im Tisch-Unterteil (RTNG)








Tabelle Anordnung der Befestigungsbohrungen im Tisch-Unterteil (RTNG)

Bestell-Nr.	Fig.	L	c	d	e	m	p
RTNG-1520	1	52		17			17,5
RTNG-1530	1	72		27			22,5
RTNG-1540	1	92		37			27,5
RTNG-1550	2	112		47	25		32,5
RTNG-1560	2	132	22	57	30	M2,5	37,5
RTNG-1570	2	152		67	35		42,5
RTNG-1580	2	172		77	40		47,5
RTNG-1590	2	192		87	45		52,5
RTNG-15100	2	212		97	50		57,5
RTNG-2030	1	75		25			25,0
RTNG-2045	1	104		40			32,0
RTNG-2060	1	135		55			40,0
RTNG-2075	1	164	30	70		M3	47,0
RTNG-2090	2	195		85	45		55,0
RTNG-2105	2	224		100	50		62,0
RTNG-2120	2	255		115	30		70,0
RTNG-2135	2	284		130	40		77,0
RTNG-2150	2	315		145	40		85,0
RTNG-3050	1	116		35			40,5
RTNG-3075	1	165		60			52,5
RTNG-3100	1	216		85			65,5
RTNG-3125	3	265		110			77,5
RTNG-3150	3	316	40	135		M4	90,5
RTNG-3175	3	365		160			102,5
RTNG-3200	4	416		185	65		115,5
RTNG-3250	4	516		235	85		140,5
RTNG-3300	4	616		285	95		165,5
RTNG-3350	5	716		335	170		190,5
RTNG-3400	5	816		385	195		215,5
RTNG-6100	1	223		70			76,5
RTNG-6150	1	323		120			101,5
RTNG-6200	2	423		170			126,5
RTNG-6250	2	523		220			151,5
RTNG-6300	2	623	60	270		M6	176,5
RTNG-6350	3	723		320	110		201,5
RTNG-6400	3	823		370	130		226,5
RTNG-6450	3	923		420	210		251,5
RTNG-6500	3	1023		470	240		276,5